

### Application

AGRI-TEC EXTENDED LIFE COOLANT is an extended life coolant that meets the GM 6277M specification for an extended life coolant and carries a recommended service interval of five years or 150,000 miles.

- Performance Categories:
  - ASTM D 3306 for automotive engines
  - ASTM D 4985 for heavy-duty diesel service

### CUSTOMER BENEFITS

- **Superior Protection** – AGRI-TEC EXTENDED LIFE COOLANT provides effective long term corrosion protection for aluminum, brass, cast iron, steel, solder and copper as well as protection against summer and winter temperature extremes.
- **Biodegradable** – In its pure form, this product is 100% biodegradable and is nitrite-, phosphate-, nitrate-, and amine-free.
- **Reduce Cost** – Formulated to be stable for eight years of storage with no gelling or silicate dropout and compatible with conventional antifreeze to reduce inventory levels and risk of product misuse.

### FEATURES

AGRI-TEC EXTENDED LIFE COOLANT is a single-phase, ethylene glycol universal automotive engine coolant. This inhibitor system eliminates the need for silicates, phosphates, borates, nitrites, nitrates and amine additives traditionally used for this purpose. This coolant is suitable for service intervals of five years or 150,000 miles and offers superior protection against winter freeze up and minimizes the chances of a summer boil over.



*Values are typical and may vary within normal production ranges.*

Appearance	Yellow to Orange
Physical State	Liquid
Molecular Weight	NA
Odor	Slightly Sweet
Specific Gravity 15@15°C	1.130
Solubility in water (weight,%)	100
pH ASTM D 1287	8.3
Flash Point (COC)	NA
Reserve Alkalinity ASMT D 1121	6.0
Silicate %	6.0
Freezing Point °C ASTM D 1177	-36.7

